SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

•	Product name:	URISOLVE
•	Product Code:	None allocated
•	Other names:	None allocated
	Recommended use:	TOILET BOWL CLEANER
•	Supplier name:	Blandeen Pty Ltd
	Supplier address:	Po Box 274 Kilcoy QLD 4515
•	Supplier telephone number:	0411 884 942
	Emergency number:	POISONS INFORMATION CENTRE 131126 or Distributor 0755314890
	Distributor name:	DUNCKERS
	Distributor address:	3A Whalley Creek Close Nambour QLD 4560
	Distributor telephone number:	07 54413390
	Distributor fax number:	07 54412630

SECTION 2 - HAZARDS IDENTIFICATION

Hazard Classification:		Labelling of Ch Classified as D Transport of Da	angerous goods according to the criteria of the Australian Code for the angerous Goods by Road and Rail.
Hazard Categories:		Acute Toxicity (Eye Damage Ir	(Oral) – Category 4 (Dermal) – Category 5 ritation – Category 1 /Irritation – Category 1A
Signal Word:		Danger	
Pictograms:			
Hazard Statements:		H314 Cause H318 Cause	ul if swallowed. es severe skin burns and eye damage. es serious eye damage. e corrosive to metals.
Precautionary S	Statement	s:	
P264 Wash contaminat P270 Do not eat, drink		Wash contamin Do not eat, drin	fume/gas/mist/vapour/spray. lated skin thoroughly after handling. k or smoke when using this product. gloves/ protective clothing/eye protection/ face protection.
Response	P310 P301+P330+P331 P303+P361+P353		Immediately call a POISON CENTRE or doctor/physician. If SWALLOWED: rinse mouth. Do NOT induce vomiting. If on SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+	P340	If INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338		If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P363		Wash contaminated clothing before re-use.
Storage	P405		Store locked up.

Disposal

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS Number	Proportion
SULFAMIC ACID	5329-14-6	10-30%
ALKYLBENZYL-C12C16CDIMETHYL	68424-85-1	10-30%

SECTION 4 - FIRST AID MEASURES

P501

If poisoning occurs contact a Doctor immediately or the Poisons Information Centre on 131126.

• F	First Aid Facilities:	Normal washroom facilities / Eye wash station / Safety shower
• E	Eye Contact:	Rinse eyes immediately (including under eye lids) for at least 20 minutes with running water. Seek medical advice immediately.
• 5	Skin Contact:	Remove all contaminated clothing and footwear. Wash the skin with plenty of water. Seek medical advice. Fully launder clothes before re-use.
- 1	Ingestion:	DO NOT INDUCE VOMITING. Seek medical advice immediately. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth with water. Give water to drink. If vomiting occurs, give further water to dilute.
•	Inhalation:	Remove to fresh air. Seek medical advice immediately. If not breathing provide artificial respiration.
• 4	Advice to Doctor:	Treat symptomatically. All treatments should be based on observation and symptoms of distress.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing Media:Hazards from Combustion	Not flammable. Foam, dry chemical or fine water spray.
Products:	Carbon dioxide, carbon monoxide, nitrogen oxides and other toxic gases may be produced in the case of fire or during thermal decomposition. Corrosive acid vapours may be present
 Fire Fighters: 	Fire fighters to wear full protective clothing and self-contained breathing apparatus. Move upwind of fire. Keep containers that are exposed to heat cool with water spray.
Hazchem Code:	2R
Flashpoint:	None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Methods and Materials for

Hazchem Code 2R.

2 = water fog – in the absence of fog a fine spray may be used.

- R = Full protective clothing and breathing apparatus. Dilute.
- Containment and Clean Up: Minor spills normally do not require any special clean up measures. In the event of a major spill prevent spillage from entering drains, water courses, sewers or any body of water. Wear protective equipment (as per section 8) to prevent skin and eye contamination. Contain and absorb any spillage with sand, earth or inert material. Scoop into a sealable container for disposal by an approved agent according to local conditions. Any residual deposits may be slippery. Wash down all areas with water. If contamination of sewers or waterways has occurred notify your local emergency services.

SECTION 7 HANDLING AND STORAGE

Handling: Keep out of reach of children. When handling do not eat, drink or smoke. Avoid contact with skin, eyes and do not inhale. Use in a well-ventilated area. Do not add water directly to the product. Add product slowly into water. Wash hands with water after handling. Store in a cool, well ventilated, dry place away from direct sunlight. Keep Storage: container closed at all times. Incompatibility: Incompatible with aluminium, magnesium, zinc, copper, alloys and tin.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

•	Exposure standards:	There are no exposure standards available for this product. Individual components of the product are – NOHSC Sulfamic Acid 1mg/m ³
:	Biological limit values: Engineering controls:	None established for this product. Ensure ventilation is adequate and avoid generating mists of the product. Ensure eyewash and/or a safety shower in working area. Keep container closed when not in
		use.

Personal Protective Equipment: Eye protection:

Other:

Skin Protection: Respiratory:

Avoid contact with eyes. The use of safety goggles/ glasses with side protection is recommended.

Wear chemical resistant gloves, overalls, apron and appropriate footwear. If ventilation is inadequate wear a respirator to protect against exposure to high vapour concentrations. Respirators should comply with AS/NZS 1715 and AS/NZS 1716.

Do not eat, drink or smoke whilst handling product. Wash hands after use.



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

•	Appearance:	Green / Blue liquid.
•	Odour:	Fruity
•	pH:	1 - 2 (Neat).
•	Vapour Pressure:	Not available.
•	Vapour Density:	Not available.
•	Boiling Point:	100 °C.
•	Freezing/Melting Point:	Not available.
•	Solubility:	Soluble in water.
•	Specific Gravity:	1.07 – 1.09
•	Flash Point:	Not flammable.
•	Flammability limits:	Not available.

SECTION 10 - STABILITY AND REACTIVITY

- Chemical stability:
 - Conditions to avoid:
- Incompatible materials:

Stable at normal temperatures and pressure.

Avoid high temperatures (store below 30°C). Protect against physical damage.

- Incompatible with oxidising agents, strong alkalis, reducing agents, combustible materials and metals.
- Hazardous decomposition products: None recorded.

Hazardous reactions: May react with metals to produce flammable hydrogen gas.

SECTION 11 - TOXICOLOGICAL INFORMATION

•	Ingestion:	Corrosive – will cause severe burns and irritation to the mouth, throat and digestive
		tract. Swallowing can cause nausea, vomiting and diarrhoea.
•	Skin Contact:	Corrosive to skin – will cause burns to skin and severe irritation. Corrosion will
		continue until chemical is removed.
•	Eye Contact:	Corrosive to eyes – will cause irritation and possible permanent damage.
•	Inhalation:	Inhalation of mists will cause severe irritation and possible chemical burns to the respiratory
		tract and nasal passages.

SECTION 12 - ECOLOGICAL INFORMATION

- Ecotoxicity: None available.
- Persistence and degradability: None available.
- Bioaccumulative potential: None available.
- Mobility: None available

This product is miscible in water. Do not discharge bulk quantities into drains, waterways, sewer or environment. Notify your local authority if this occurs.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal:

To dispose of quantities of undiluted product refer to your State Land Waste Management Authority. Do not discharge product into drains or waterways. Dispose of material through a licensed accredited waste disposal contractor.

SECTION 14 - TRANSPORT INFORMATION

•	UN Number:	2967
•	UN Proper Shipping Name:	SULFAMIC ACID SOLUTION
•	Class and Subsidiary Risk:	ADG Class 8
•	Packing Group:	III
•	Hazchem Code:	2X
•	Special precautions:	This material is a class 8 Corrosive Substance according to the
		Australian Code for the Transport of Dangerous Goods by road and rail.

SECTION 15 - REGULATORY INFORMATION

- SUSMP Classification: S6 Poison
- Regulatory Information: Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS).

1.0

SECTION 16 - OTHER INFORMATION

- Issue Date: November 2017
- Version No.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Since the supplier and/or distributor cannot anticipate or control the conditions under which the product may be used, every user must prior to usage review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is required to ensure that an appropriate risk assessment can be made, the user should contact this company. END OF SDS