**Dishwashing Liquid Sachet** 

# **1. Chemical Product and Company Identification**

Product Name Other Means of Identification Product Code Product Use	Dishwashing Liquid Sachet 20MI None AA-DWL20M Hand dishwashing liquid
Supplier ABN Mail Address Email Telephone: Facsimile	Accom Assist 94 927 761 973 PO Box 773, Redcliffe QLD, 4020 info@accomassist.com.au 1300 307 755 07 5474 2448
Emergency Telephone:	Poisons Information Centre (National) 131126

## 2. Hazards Identification

Classification of the substance or mixture This product is classified as Hazardous according to the criteria of SWA.

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

GHS Classification	Eye Damage / Irritation 2A
GHS Label Elements	
SIGNAL WORD	WARNING
Hazard Statement(s)	
H319	Causes serious eye irritation
Prevention(s)	
P102	Keep out of reach of children.
P270	Wash contacted areas thoroughly after handling.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
Refer to the SDS b	efore using this product

Page 1 of 7 Dishwashing Liquid Sachet SDS Version 2.1 Created 1 March 2017

Dishwashing Liquid Sachet

Response	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	
P404:	Store in a closed container.
Disposal	
P501	Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

# 3. Composition/Information on Ingredients

(Listed when present at 1% or greater, carcinogens at 0.1% or greater)

Chemical Name	CAS Registry Number	% Weight	Exposure Standards TWA mg/m <sup>3</sup>	Exposure Standards STEL
Alkylbenzene Sulfonic acid	85117-49-3	5-10	not set	not set
Alcohol ethoxylated, Sulphate, Sodium	68585-34-2	<5	not set	not set
Other ingredients classified as non hazardous at the concentrations used according to the criteria of safework Australia				

# 4. First Aid Measures

General	For advice, contact a Poisons Information Centre (Australia 13 11 26) or a doctor. If swallowed, do NOT induce vomiting. Immediately give a glass of water.
Inhalation	No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.
Skin	Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.
Eyes	Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while
Pa	age 2 of 7 Dishwashing Liquid Sachet SDS Version 2.1 Created 1 March 2017

**Dishwashing Liquid Sachet** 

holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs. Take special care if exposed person is wearing contact lenses.

Ingestion

If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# 5. Fire Fighting Measures

Extinguishing Media	Not combustible. Use extinguishing media suited to burning materials.
Fire Fighting	If a significant quantity of this product is involved in a fire, call the fire brigade.
Fire and Explosion Hazards	The major hazard in fires is usually inhalation of heated and toxic or oxygen Deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is Involved in a fire.
	Only small quantities of decomposition products are expected from this product at temperatures normally achieved In a fire. This will only occur after heating to dryness. Fire decomposition products from this product are likely to be irritating if inhaled.
Flash point:	Does not burn.
Upper Flammability Limit:	Does not burn.
Lower Flammability Limit:	Does not burn.
Autoignition temperature:	Not applicable - does not burn.
Flammability Class:	Does not burn.

## 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Minor Spills	Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment.
Major Spills	Contain and absorb spill with sand, earth, inert material or vermiculite. Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required.

## 7. Precautions for handling and storage

Page 3 of 7 Dishwashing Liquid Sachet SDS Version 2.1 Created 1 March 2017

# Safety Data Sheet Dishwashing Liquid Sachet

Precautions for safe handli	ng
Precautions for Safe	Limit all unnecessary personal contact.
Handling	Wear protective clothing when risk of exposure occurs.
	Use in a well-ventilated area.
	Avoid contact with incompatible materials.
	DO NOT allow clothing wet with material to stay in contact with
	skin
Other Information	Store in original containers.
	Keep containers securely sealed.
	Store in a cool, dry, well-ventilated area.
	Store away from incompatible materials and foodstuff containers.
Conditions for safe storage	, including any incompatibilities
Suitable containers	Polyethylene or polypropylene container.
	Packing as recommended by manufacturer.
	Check all containers are clearly labelled and free from leaks.
Storage	None known
Incompatibility	
moompanointy	

# 8. Exposure controls /personal protection

Ventilation:	This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.
Eye Protection:	Eye protection such as protective glasses or goggles is recommended when this product is being used.
Skin Protection:	You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable material types.
Protective Material Types:	We suggest that protective clothing be made from the following materials: rubber, PVC.
Respirator:	Usually, no respirator is necessary when using this product.
	However, if you have any doubts consult the Australian
	Standard mentioned above. Otherwise, not normally
	necessary.
	Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.
	1

# 9. Physical and chemical properties

Appearance	Non-viscous liquid
Colour	Green
Odour	Fragrant
pH	7.2-7.8 neat
Vapour pressure	No data.
Vapour density	No Data.
Boiling point	Approximately 100°C
Boiling range	No data.
Melting point	No data.
Solubility in water	No data.
Specific gravity	0.98 – 1.0 @ 25 °C Page 4 of 7 Dishwashing Liquid Sachet SDS Version 2.1 Created 1 March 2017

**Dishwashing Liquid Sachet** 

Flash point	Non Flammable
Solubility limits	N/a
Percent volatile	Approx 85 % v/v

## 10. Stability and Reactivity

Reactivity	This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.
Conditions to Avoid	Keep containers tightly closed.
Incompatible Materials	Oxidising agents.
Fire Decomposition	Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.
Polymerisation	This product will not undergo polymerisation reactions.

## **11. Toxicological information**

#### Local Effects:

Target OrgansThere is no data to hand indicating any particular target organs.

#### Classification of Hazardous Ingredients

Ingredient

#### **Risk Phrases**

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

#### **Potential Health Effects**

Inhalation	Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.
	Long Term Exposure: No data for health effects associated with long term inhalation.
Skin Contact	Short Term Exposure: This product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but if treated promptly, all should disappear once exposure has ceased.
	Long Term Exposure: No data for health effects associated with long term skin exposure.
Eye Contact	Short Term Exposure: This product is a severe eye irritant. Symptoms may include stinging and reddening of eyes and
Page 5 of 7 Dishwashing Liquid Sachet SDS Version 2.1 Created 1 March 2017	

Dishwashing Liquid Sachet

Ingestion	watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.
	Long Term Exposure: No data for health effects associated with long term eye exposure.
	Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product is a severe oral irritant. Symptoms may include extreme pain and reddening of skin in mouth and throat. Other symptoms such as blisters may also become evident, and may last long after exposure has ceased.
	Long Term Exposure: No data for health effects associated with long term ingestion.
Carcinogen Status	
SWA	No significant ingredient is classified as carcinogenic by SWA
NTP	No significant ingredient is classified as carcinogenic by NTP.
IARC	No significant ingredient is classified as carcinogenic by IARC.

#### 12. Ecological information

Environmental

May be harmful to aquatic organisms.

### 13. Disposal considerations

Disposal Containers should be emptied as completely as practical before disposal. If possible, recycle product and containers either in-house or send to recycle company. If this is not practical, send to a commercial waste disposal site.

### 14. Transport Information

UN Number This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

#### **15. Regulatory Information**

AICS

All of the significant ingredients in this formulation are compliant with NICNAS regulations.

### 16. Other information

Page 6 of 7 Dishwashing Liquid Sachet SDS Version 2.1 Created 1 March 2017

# Safety Data Sheet Dishwashing Liquid Sachet

Abbreviations		
AICS	Australian Inventory of Chemical Substances	
CAS Number EC50	Unique Chemical Abstracts Service Registry Number Ecotoxic Concentration 50% — concentration in water which is	
ES	fatal to 50% of a test population (e.g. daphnia, fish species) Exposure Standard - The airborne concentration of a biological or	
GHS	chemical agent to which a worker may be exposed in a work day Globally Harmonised System of Classification and Labelling of Chemicals	
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters	
IARC	International Agency for Research on Cancer	
LEL LD50	Lower Explosive Limit Lethal Dose 50% — dose which is fatal to 50% of a test	
LC50	population (usually rats). Lethal Concentration 50% — concentration in air which is fatal to 50% of a test population (usually rats)	
NICNAS	National Industrial Chemicals Notification and Assessment	
Peak Limitation	Scheme Peak Exposure Value: The maximum airborne concentration of a biological or chemical agent to which a worker may be exposed at	
SDS STEL	any time. Safety Data Sheet Short Term Exposure Limit - The maximum airborne	
	concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded	
TWA	Time Weighted Average — generally referred to ES averaged over typical work day (usually 8 hours)	
UEL	Upper Explosive Limit	
UN Number	United Nations Number	
References		
Data	Unless otherwise stated comes from IUCLID datasheet for the	
NOHSC: 1003	specific chemical. National Occupational Health and Safety Commission 1995, Exposure Standards for Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(199511	
Prepared By Date of Issue Changes Made References	Richard Dureau 1sth of March 2017 Update SDS to GHS format Australian Dangerous Goods Code Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice 2011. Standard for the Uniform Scheduling of Medicines & Poisons	
Contact Person/Point	(SUSMP) Guidance Australia 24 HOUR EMERGENCY CONTACT Poisons	
Legal Disclaimer	Information Centre 13 11 26 The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.	

#### End of SDS