Page 1

Compilation Date: 1 March 2017 Issue Date: 1 March 2017

Revision No: 2.0

1. Chemical Product and Company Identification

Product Name Laundry Liquid Sachet
Other Means of None

Other Means of Identification

Product Code 20ml Sachet: AA-LL20M

Product Use Laundry Liquid Detergent Sachet

Supplier Accom Assist 94 927 761 973

Mail Address PO Box 773, Redcliffe QLD, 4020 info@accomassist.com.au

Telephone: 1300 307 755

Emergency Poisons Information Centre (National) 131126

Telephone:

2. Hazards Identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule None

GHS Classification Accute Toxicity: 4

Skin Irritation: 2 Eye Damage: 2A

GHS Label Elements



SIGNAL WORD

Hazard Statement(s)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eve damage

Prevention(s)

еуе

Page 1 of 9 Laundry Liquid Sachet SDS Version 2.0 Created 1 March 2017

Laundry Liquid Sachet

protection/ face protection.

Response

P301+P312 | IF SWALLOWED: Call a POISON CENTER or doctor/ physician if

you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician. P321 Specific treatment (see medical advice on this label).

P330 Rinse mouth

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash before reuse.

Storage

P405 No special precautions

Disposal

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

Other hazards: This product does not contain any substances classified as PBT or vPvB.

3. Composition/Information on Ingredients

(Listed when present at 1% or greater, carcinogens at 0.1% or greater)

Chemical Name	CAS Registry Number	% Weight	Hazard Classification
(C10 – 16) Alkyl alchol ethoxylated, sulfated, sodium salt	68585-34-2	1-5	
Benzenesulfonic acid, 2, 2'- ([1, 1' biphenyl]- 4, 4'- diyldi- 2, 1- ethenediyl) bis-, disodium salt	27344-41-8	15	
Other ingredients classified as non hazardous at the concentrations used according to the criteria of safework Australia			

4. First Aid Measures

General Get medical attention if any discomfort continues. Show this

Safety Data Sheet to the medical personnel. Chemical

burns must be treated by a physician.

Inhalation Move affected person to fresh air and keep warm and at

> rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Rinse nose and mouth with water. Never give anything by mouth to an unconscious person. Get medical attention if

symptoms are severe or persist.

Skin Rinse with water

Rinse immediately with plenty of water. Do not rub eye. Eyes

> Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical

attention.

Rinse mouth thoroughly with water. Give a few small Ingestion

> glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Get medical

attention.

Protection of first aiders First aid personnel should wear appropriate protective

equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the

concentration and the length of exposure.

Inhalation No specific symptoms known.

May cause discomfort if swallowed. Stomach pain. Nausea, Ingestion

vomiting.

Skin contact Redness. Irritating to skin.

Eye contact Causes serious eye damage. Symptoms following overexposure

may include the following: Pain. Profuse watering of the eyes.

Redness.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media The product is not flammable. Extinguish with alcohol-resistant

> foam, carbon dioxide, dry powder or water fog. Use fireextinguishing media suitable for the surrounding fire.

Unsuitable

extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Advice for firefighters

Fire Fighting

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Cool containers exposed to heat with water spray and remove them from

Page 3 of 9 Laundry Liquid Sachet SDS Version 2.0 Created 1 March 2017

Safety Data Sheet Laundry Liquid Sachet

the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk.

Environmental precautions

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. This product is corrosive. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. Slippery when spilt.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

7. Precautions for handling and storage

Precautions for safe handling

Precautions for Safe Handling

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. This product is corrosive. Immediate first aid is imperative. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Other Information

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

Page 4 of 9 Laundry Liquid Sachet SDS Version 2.0 Created 1 March 2017

Laundry Liquid Sachet

Conditions for safe storage, including any incompatibilities

Suitable containers Keep only in the original container. Keep container tightly closed, in a

cool, well ventilated place. Keep containers upright. Protect containers

from damage.

Storage class Toxic storage.

8. Exposure controls /personal protection

Protective equipment





Appropriate engineering controls Eye/face protection

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact. protection.

Hygiene measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.

Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Laundry Liquid Sachet

Appearance: Opaque, blue viscous liquid

Colour: Blue Odour: Fragrant Specific gravity: 1.02

Solubility value g/100g Soluble in water. Ph:: 8.2-9.5 (neat)

10. Stability and Reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as

recommended. Stable under the prescribed storage conditions.

Possibility of Hazardous No potentially hazardous reactions known.

Reaction

Conditions to Avoid There are no known conditions that are likely to result in a

hazardous situation.

Incompatible Materials No specific material or group of materials is likely to react with the

product to produce a hazardous situation.

Hazardous Does not decompose when used and stored as recommended.

Decomposition Products Thermal decomposition or combustion products may include the

following substances: Corrosive gases or vapours.

11. Toxicological information

Acute toxicity - oral No toxicity data is available for this material Notes (oral LD50)

Acute toxicity - dermal Notes (dermal LD50)

Based on available data the classification criteria are not met.

Notes -(inhalation LC50) Skin corrosion/irritation

Animal data Serious eye

Acute toxicity -

inhalation

damage/irritation Respiratory sensitisation

Skin sensitisation

Germ cell mutagenicity Genotoxicity - in vitro Carcinogenicity

IARC carcinogenicity

Reproductive toxicity fertility

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Irritating.

Eye Damage 1 - H318 Causes serious eye damage.

Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met. None of the ingredients are listed or exempt.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Specific target organ toxicity

STOT - single exposure Not classified as a specific target organ toxicant after a single

exposure.

STOT - repeated exposure

Not classified as a specific target organ toxicant after repeated exposure.

Page 6 of 9 Laundry Liquid Sachet SDS Version 2.0 Created 1 March 2017

Safety Data Sheet Laundry Liquid Sachet

Aspiration hazard Not relevant. Solid.

General Information The severity of the symptoms described will vary dependent on the

concentration and the length of exposure.

Inhalation No specific symptoms known.

Ingestion May cause discomfort if swallowed. Stomach pain. Nausea,

vomiting.

Skin Redness. Irritating to skin.

Eye Causes serious eye damage. Symptoms following overexposure

may include the following: Pain. Profuse watering of the eyes.

Route of entry Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

12. Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or

The degradability of the product is not known.

frequent spills may have hazardous effects on the environment.

Persistence/Degradabilit

Bio-accumulative

Potential Mobility in Soil No data available on bioaccumulation.

No data available Results of PBT and vPvB assessment

Other adverse effects None known

13. Disposal considerations

General information The generation of waste should be minimised or avoided wherever

> possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Dispose of surplus products and those that cannot be recycled via Disposal methods

a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be

considered when recycling is not feasible.

14. Transport Information

UN Number

Laundry Liquid Sachet

Not applicable

Proper shipping name

Not applicable

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable

Environmental hazards

Environmentally hazardous substance / marine pollutant: No.

Special precautions for user

Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture Inventories

AICS None of the ingredients are listed or exempt.

16. Other information

Training advice General Information Only trained personnel should use this material.

The following risk and hazard statements are to be considered a glossary. They relate to the raw materials used in this product and therefore may not be accurate for the finished product itself. For the complete risk and hazard statements for this product

please refer to section 2 of this Safety Data Sheet

Hazard statements in

full

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation

Abbreviations

AICS Australian Inventory of Chemical Substances

CAS Number Unique Chemical Abstracts Service Registry Number

EC50

Ecotoxic Concentration 50% — concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)

Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed in a work day

GHS

GHS

Globally Harmonised System of Classification and Labelling of

Chemicals

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

LD50 Lethal Dose 50% — dose which is fatal to 50% of a test

population (usually rats).

Page 8 of 9 Laundry Liquid Sachet SDS Version 2.0 Created 1 March 2017

Safety Data Sheet Laundry Liquid Sachet

LC50 Lethal Concentration 50% — concentration in air which is fatal to

50% of a test population (usually rats)

NICNAS National Industrial Chemicals Notification and Assessment

Scheme

Peak Limitation Peak Exposure Value: The maximum airborne concentration of a

biological or chemical agent to which a worker may be exposed at

any time.

SDS Safety Data Sheet

STEL Short Term Exposure Limit - The maximum airborne

concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is

not exceeded

TWA Time Weighted Average — generally referred to ES averaged

over typical work day (usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

References

Data Unless otherwise stated comes from IUCLID datasheet for the

specific chemical.

NOHSC: 1003 National Occupational Health and Safety Commission 1995,

Exposure Standards for Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

[NOHSC:1003(199511

Prepared By Richard Dureau
Date of Issue 1st of March 2017

Changes Made Update SDS to GHS format

References Australian Dangerous Goods Code Preparation of Safety Data

Sheets for Hazardous Chemicals Code of Practice 2011.
Standard for the Uniform Scheduling of Medicines & Poisons

(SUSMP) Guidance

Contact Person/Point | Australia 24 HOUR EMERGENCY CONTACT Poisons

Information Centre 13 11 26

Legal Disclaimer The above information is believed to be correct with respect to

the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS

INFORMATION.

End of SDS