

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Product code : 6892

Manufacturer or supplier's details

Company : Kimberly-Clark Australia Pty. Limited

Address : Level 4, 100 Arthur Street, North Sydney
Sydney, NSW
2060
Australia

Telephone : +61 1800-647-994

Emergency telephone number : 131126

Poison Center Name : Australia Poison Information Centre

Poison Center Telephone : 131126

Recommended use of the chemical and restrictions on use

Recommended use : Air Freshener

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable aerosols : Category 1

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Hazard pictograms



Signal word

: Danger

Hazard statements

: H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/container in accordance with local regulation.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Components

Chemical name	CAS-No.	Concentration (% w/w)
Isobutane	75-28-5	>= 30 -< 60
Ethanol	64-17-5	>= 10 -< 30
Hexylene Glycol	107-41-5	< 10
citronellol	106-22-9	< 1
allyl hexanoate	123-68-2	< 10
geraniol	106-24-1	< 1
Isocyclemone E	54464-57-2	< 1
Butylphenyl methylpropional	80-54-6	< 1
Linalool	78-70-6	< 1
orange oil	8008-57-9	< 1
eugenol	97-53-0	< 1
Limonene	5989-27-5	< 1
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	< 1
Citral	5392-40-5	< 1
3-p-cumenyl-2-methylpropionaldehyde	103-95-7	< 1
4-methylanisole	104-93-8	< 10
4-tert-butylcyclohexyl acetate	32210-23-4	< 1
dodecanal	112-54-9	< 1
geranyl acetate	105-87-3	< 1
HELIOTROPINE	120-57-0	< 1

SECTION 4. FIRST AID MEASURES

- General advice : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- If inhaled : Move to fresh air in case of accidental inhalation of vapours.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If easy to do, remove contact lens, if worn.
- If swallowed : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation. May cause sensitisation by skin contact. Causes serious eye irritation.

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Water spray
Sand
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : No special precautions required.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
- Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
Keep away from fire (No Smoking).
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Do not ingest.
-

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

For personal protection see section 8.

- Hygiene measures : Do not smoke.
General industrial hygiene practice.
- Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isobutane	75-28-5	STEL	1,000 ppm	ACGIH
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	AU OEL
		STEL	1,000 ppm	ACGIH
Hexylene Glycol	107-41-5	Peak limit	25 ppm 121 mg/m ³	AU OEL
		C	25 ppm	ACGIH
orange oil	8008-57-9	TWA (Mist)	10 mg/m ³	AU OEL
Citral	5392-40-5	TWA (Inhalable fraction and vapor)	5 ppm	ACGIH

Engineering measures : none

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Not required under normal use.

Skin and body protection : Not required under normal use.

Protective measures : When using do not eat, drink or smoke.

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless, light yellow
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
	:	No data available
	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Burning rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	4.5 - 5.5 hPa
Relative vapour density	:	No data available
Relative density	:	0.7
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	:	Incompatible with strong acids and bases. Oxidizing agents
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

Components:

Isobutane:

Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h
---------------------------	---	--

Ethanol:

Acute oral toxicity	:	LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 GLP: no
		LD50 Oral (Rat): 7,060 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): 124.7 mg/l

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Method: OECD Test Guideline 403
GLP: no

Hexylene Glycol:

Acute oral toxicity : LD50 Oral (Rat): 3,700 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 310 mg/m3
Exposure time: 1 h

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,300 mg/kg

geraniol:

Acute oral toxicity : LD50 Oral (Rat): 3,600 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5 g/kg
Remarks: no deaths occurred

eugenol:

Acute oral toxicity : LD50 Oral (Rat): 1,930 mg/kg

Limonene:

Acute oral toxicity : LD50 Oral (Rat): 5,200 mg/kg
Remarks: females
in arabic gum/water

LD50 Oral (Rat): 4,400 mg/kg
Remarks: males
in arabic gum/water

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5 g/kg
Remarks: no deaths occurred

3-p-cumenyl-2-methylpropionaldehyde:

Acute oral toxicity : LD50 Oral (Rat): 3,810 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 5,000 mg/kg
Method: Fixed Dose Method
GLP: yes

4-methylanisole:

Acute oral toxicity : LD50 Oral (Rat): 1,920 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.1 mg/l
Exposure time: 4 h
Remarks: no deaths occurred

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5 g/kg

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

geranyl acetate:

Acute oral toxicity : LD50 Oral (Rat): 6,330 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,460 mg/kg
Method: No information available.
GLP: no**HELIOTROPINE:**

Acute oral toxicity : LD50 Oral (Rat): 2,700 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : No data available

Components:**Ethanol:**Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes**Hexylene Glycol:**Species : Rabbit
Result : Skin irritation**allyl hexanoate:**Species : reconstructed human epidermis (RhE)
Method : EPISKIN Human Skin Model Test
Result : No skin irritation
GLP : yes**geraniol:**Species : Rabbit
Method : OECD Test Guideline 404
Result : irritating
GLP : No information available.**Isocyclemone E:**

Assessment : Irritating to skin.

eugenol:

Species : Rabbit

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Result : No skin irritation
GLP : yes

Limonene:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment : Irritating to skin.

Citral:

Assessment : Irritating to skin.

3-p-cumenyl-2-methylpropionaldehyde:

Species : Rabbit
Method : No information available.
Result : Skin irritation
GLP : yes

4-methylanisole:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
GLP : no

4-tert-butylcyclohexyl acetate:

Species : human skin
Result : No skin irritation

geranyl acetate:

Species : Rabbit
Exposure time : 24 h
Method : Draize Test
Result : Severe skin irritation
GLP : no

HELIOTROPINE:

Species : Guinea pig
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Product:

Remarks : May irritate eyes.

Components:**Ethanol:**

Species : Rabbit
 Result : Irritation to eyes, reversing within 21 days
 Method : OECD Test Guideline 405
 GLP : no

Hexylene Glycol:

Species : Rabbit
 Result : Mild eye irritation

geraniol:

Species : Rabbit
 Result : Risk of serious damage to eyes.
 Method : OECD Test Guideline 405
 GLP : No information available.

eugenol:

Species : Rabbit
 Result : Eye irritation

Limonene:

Species : Rabbit
 Result : No eye irritation
 Method : OECD Test Guideline 405
 GLP : yes

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment : Irritating to eyes.

Citral:

Result : Eye irritation

3-p-cumenyl-2-methylpropionaldehyde:

Species : Rabbit
 Result : No eye irritation
 Method : No information available.
 GLP : yes

4-methylanisole:

Species : Rabbit
 Result : No eye irritation

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Method : OECD Test Guideline 405
GLP : no

geranyl acetate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

HELIOTROPINE:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks : No data available

Components:**Ethanol:**

Species : Mouse
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 429
Result : Did not cause sensitisation on laboratory animals.
GLP : no

Hexylene Glycol:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : Did not cause sensitisation on laboratory animals.

citronellol:

Assessment : The product is a skin sensitiser, sub-category 1B.
Result : The product is a skin sensitiser, sub-category 1B.

geraniol:

Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitisation by skin contact.
GLP : No information available.

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Isocyclemone E:

Assessment : The product is a skin sensitiser, sub-category 1B.

eugenol:

Species : Mouse
Result : The product is a skin sensitiser, sub-category 1B.

Limonene:

Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitiser, sub-category 1B.
GLP : yes

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment : The product is a skin sensitiser, sub-category 1B.

Citral:

Result : The product is a skin sensitiser, sub-category 1B.

3-p-cumenyl-2-methylpropionaldehyde:

Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitiser, sub-category 1B.

4-methylanisole:

Species : Mouse
Method : OECD Test Guideline 429
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

geranyl acetate:

Species : Mouse
Method : OECD Test Guideline 429
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

HELIOTROPINE:

Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Product:

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Germ cell mutagenicity -
Assessment : No information available.

Components:**Isobutane:**

Germ cell mutagenicity -
Assessment : Weight of evidence does not support classification as a germ
cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity -
Assessment : No information available.

Components:**Isobutane:**

Carcinogenicity -
Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity -
Assessment : No information available.

STOT - single exposure

Not classified based on available information.

Product:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Product:

No data available

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Components:

orange oil:

May be fatal if swallowed and enters airways.

Limonene:

May be fatal if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Isobutane:

Toxicity to fish : LC50: 27.98 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50: 14.22 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50: 7.71 mg/l
plants Exposure time: 96 h

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 13,400 -
15,100 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test

LC50 (Daphnia magna (Water flea)): 9,268 - 14,221 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 275
plants mg/l
Exposure time: 72 h
Test Type: static test

Hexylene Glycol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,500 -
11,000 mg/l

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Exposure time: 96 h
Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 10,000 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 8,690 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 10,700 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,700 - 3,700 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50: > 429 mg/l
Exposure time: 72 h

allyl hexanoate:
Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

geraniol:

Toxicity to fish : LC50 (Danio rerio): 22 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: approximately

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10.8 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 13.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Isocyclemone E:
Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

orange oil:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

eugenol:

Toxicity to fish : LC50 (Danio rerio): 13 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50: 1.05 mg/l
Exposure time: 48 h
GLP: yes

Toxicity to algae/aquatic plants : EC50: 24 mg/l
Exposure time: 72 h
NOEC: 10 mg/l
Exposure time: 48 h

Limonene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.619 - 0.796 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Oncorhynchus mykiss (rainbow trout)): 35 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.36 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

3-p-cumenyl-2-methylpropionaldehyde:

Toxicity to fish : LC50 (Fish): 1.092 mg/l
Exposure time: 96 h
Method: No information available.

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

GLP: No information available.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 4.3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

4-methylanisole:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 68.2 mg/l
Exposure time: 96 h
Test Type: static test
Method: DIN 38412
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 44.2 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 320 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 390 mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 21.5 mg/l
Exposure time: 96 h

dodecanal:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

geranyl acetate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 68.12 mg/l
Exposure time: 96 h
Test Type: static test
Method: DIN 38412
GLP: no

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14.1 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.72 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

HELIOTROPINE:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 2.5 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50: 52 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50: 31 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC: 1.6 mg/l
Exposure time: 96 h

Persistence and degradability
Components:
Isobutane:

Biodegradability : Result: Readily biodegradable.

Ethanol:

Biodegradability : aerobic
Inoculum: activated sludge
Biodegradation: 97 %
Exposure time: 28 d
Remarks: Readily biodegradable, according to appropriate OECD test.

citronellol:

Biodegradability : Result: Readily biodegradable.

geraniol:

Biodegradability : Result: Readily biodegradable.

Butylphenyl methylpropional:

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Biodegradability : aerobic
Concentration: 100 mg/l
Biodegradation: 8 %
Exposure time: 28 d

Linalool:

Biodegradability : Result: Readily biodegradable.

eugenol:

Biodegradability : Result: Readily biodegradable.

Citral:

Biodegradability : Result: Readily biodegradable.

4-tert-butylcyclohexyl acetate:

Biodegradability : Result: Readily biodegradable.

dodecanal:

Biodegradability : Result: Readily biodegradable.

HELIOTROPINE:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****Isobutane:**

Partition coefficient: n-octanol/water : log Pow: 1.09

Ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 0.66
Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Hexylene Glycol:

Partition coefficient: n-octanol/water : log Pow: < -0.14

citronellol:

Partition coefficient: n-octanol/water : log Pow: 3.55 (25 °C)

allyl hexanoate:

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

Partition coefficient: n-
octanol/water : log Pow: 3.191

geraniol:

Partition coefficient: n-
octanol/water : log Pow: 3.56

orange oil:

Partition coefficient: n-
octanol/water : log Pow: 2.78 - 4.88

eugenol:

Partition coefficient: n-
octanol/water : log Pow: 1.83

Limonene:

Partition coefficient: n-
octanol/water : log Pow: 4.38

3-p-cumenyl-2-methylpropionaldehyde:

Partition coefficient: n-
octanol/water : log Pow: 3.4

4-methylanisole:

Partition coefficient: n-
octanol/water : log Pow: 2.659

dodecanal:

Partition coefficient: n-
octanol/water : log Pow: 4.9 (35 °C)

geranyl acetate:

Partition coefficient: n-
octanol/water : log Pow: 4.48

HELIOTROPINE:

Partition coefficient: n-
octanol/water : log Pow: 1.2

Mobility in soil**Components:****Ethanol:**

Stability in soil : Remarks: Not expected to adsorb on soil.

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version 1.10	Revision Date: 21.10.2021	SDS Number: 100000006720	Date of last issue: 25.08.2020 Date of first issue: 22.09.2016
-----------------	------------------------------	-----------------------------	---

Other adverse effects

Components:

Ethanol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.
Contaminated packaging : Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : AEROSOLS
Proper shipping name : AEROSOLS
Class : 2.1
Packing group : Not assigned by regulation
Labels : 2.1

IATA-DGR

UN/ID No. : UN 1950
Proper shipping name : Aerosols, flammable
Class : 2.1
Packing group : Not assigned by regulation

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.1
Packing group : Not assigned by regulation
EmS Code : F-D, S-U
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

ADG

UN number	: UN 1950
Proper shipping name	: AEROSOLS
Class	: 2.1
Packing group	: Not assigned by regulation
Labels	: 2.1

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform Scheduling of Medicines and Poisons	: Schedule 6
--	--------------

Prohibition/Licensing Requirements	: There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.
------------------------------------	--

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
AIC	: Not in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory

KIMCARE® MICROMIST® Air Neutraliser / Forest Dew Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

SECTION 16. OTHER INFORMATION

Revision Date : 21.10.2021
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ACGIH / C : Ceiling limit
AU OEL / TWA : Exposure standard - time weighted average
AU OEL / Peak limit : Exposure standard - peak

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

**KIMCARE® MICROMIST® Air Neutraliser /
Forest Dew Scented**

Version	Revision Date:	SDS Number:	Date of last issue: 25.08.2020
1.10	21.10.2021	100000006720	Date of first issue: 22.09.2016

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN